

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 January 2004 (08.01.2004)


PCT

(10) International Publication Number
WO 2004/004301 A1

- (51) International Patent Classification⁷: **H04M 15/00**, 17/02
- (74) Agents: **PAGE WHITE & FARRER** et al.; 54 Doughty Street, London WC1N 2LS (GB).
- (21) International Application Number: **PCT/IB2002/003267**
- (22) International Filing Date: 28 June 2002 (28.06.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (71) Applicant (for all designated States except US): **NOKIA CORPORATION** [FI/FI]; Keilalahdentie 4, FIN-02150 ESPOO (FI).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **KOSKINEN, Juha-Pekka** [FI/FI]; Heinajoenkatu 13, FIN-13210 Hämeenlinna (FI). **VALLINEN, Juhar, R.** [FI/FI]; Tarmonkatu 6045, FIN-33500 Tampere (FI).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: CHARGING FOR AN IP BASED COMMUNICATION SYSTEM



(57) Abstract: There is disclosed a method for charging for services in a communication system supporting a Diameter IP protocol, comprising defining at least one attribute value pair to define sponsorship information.

WI 2004/004301 A1



Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

CHARGING FOR AN IP BASED COMUNICATION SYSTEMFIELD OF THE INVENTION

The present invention relates to the provision of charging services in Internet protocol networks, and particularly to shared charging services.

BACKGROUND OF THE INVENTION

Diameter is an IETF protocol that has been specifically designed for the Internet infrastructure. Diameter unifies authentication, authorization and accounting (AAA) transactions.

The accounting related extension (AAA) of the base Diameter protocol is likely to be used in networks which are all-IP (Internet Protocol) based for charging purposes.

Furthermore, in all-IP based networks, it will be essential to provide a mechanism for transferring sponsorship information to a centralized charging function. In this context, sponsorship refers to the 'underwriting' by a third party of part or all of the costs of a communication session established by a user of a communication system. Thus, when a user makes a call, a third party may agree to pay for (i.e. sponsor) a certain part of the costs associated with that call.

The principle of shared charging is discussed in United Kingdom patent application number 0031459.1.

However, no provision for accommodating sponsorship in charging mechanisms has yet been provided for in relation to implementations of all-IP networks.

It is an object of the present invention to provide an improved technique for accommodating charging in IP networks, which addresses the above-stated problems.

SUMMARY OF THE INVENTION

According to the present invention there is provided a method for charging for services in a communication system supporting a Diameter IP protocol, comprising defining at least one attribute value pair to define sponsorship information.

There is preferably provided an attribute value pair defining shared charging information.

There is preferably provided an attribute value pair defining shared percentage information. There is preferably provided an attribute value pair defining shared amount information. There is preferably provided an attribute value pair defining a sponsor identity.

The method may comprise receiving a request to establish an IP session from a user of the system; initiating an account with an account controller of the system; establishing the IP session; and initiating the monitoring of the account.

The step of initiating an account may comprise transferring sponsorship information to a charging system, the charging system being responsible for monitoring of the account.

The sponsorship information may be transferred from an application server.

The account may be initiated responsive to an account request message.

The monitoring of the account may be initiated responsive to an account request message.

According to the present invention there is further provided a communication system supporting a Diameter IP protocol and for charging for services, wherein the Diameter protocol is adapted to define at least one attribute value pair to define sponsorship information.

The attribute value pair may define shared charging information. The attribute value pair may define shared percentage information. The attribute value pair may define shared amount information. The attribute value pair may define
5 a sponsor identity.

In a further aspect the present invention provides a Diameter IP protocol adapted to define at least one attribute value pair to define sponsorship information.

The Diameter IP protocol sponsorship information may be
10 provided to enable shared charging.

According to another aspect the present invention provides a communication system comprising: call control function means adapted to initiate a call session for a user of the system; an application server for providing an application for a user of
15 the system in a call session; and a charging means for charging a call session for a user, wherein the call control function means, the application server and the charging means are adapted to communicate using a Diameter IP protocol.

The call control function means may be a serving call state
20 control function.

The charging means may comprise an on-line charging function and an off-line charging function.

The charging may be initiated on the basis of a Diameter IP communication between the call control function and the
25 charging means.

Shared charging information may be communicated to the charging means from the application function on the basis of a Diameter IP communication.

The charging means may monitor the call session charges responsive to a Diameter IP communication from the call control function.

Thus, in accordance with a preferred embodiment of the present invention, shared charging information is introduced into the Diameter protocol. The invention thus advantageously provides an enhancement to the Diameter charging capability, and provides a mechanism for effective sponsorship in all-IP networks.

10 BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the present invention and as to how the same can be carried into effect, reference will now be made by way of example to the accompanying drawings in which:

Figure 1 illustrates the main network elements in an example implementation of the present invention;

Figure 2 illustrates the signaling in a preferred embodiment of the present invention; and

Figure 3(a) to 3(c) illustrate further details of the signaling of Figure 2.

20 DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is described herein with reference to a particular illustrative embodiment. However, such embodiment is presented for the purposes of illustrating the present invention, and does not limit the scope thereof.

25 In particular, the present invention is described herein with reference to a particular example of a UMTS network supporting user equipment, such as a mobile station, and providing connections for the user equipment to external IP networks.

Referring to Figure 1, there is illustrated the main elements of a UMTS network implementing an all-IP Diameter protocol

system for the purposes of describing the present invention. In Figure 1 only those elements of a UMTS system necessary for supporting the Diameter protocol charging in accordance with the present invention are illustrated. The full implementation of such a system will be apparent to one skilled in the art.

Figure 1 illustrates generally a UMTS network infrastructure 10 including a serving call state control function (S-CSCF) 4, a combined charging collector function (CCF) and online charging system (OCS) 8, and an application server (AS) 6. The S-CSCF 4 supports a call session for the user equipment, such as user equipment 2, connected in the UMTS network 10. The CCF provides the centralized charging function for offline charging, and the OCS provides the centralized charging for online charging. The S-CSCF 4 additionally has a connection 12 to an IP network or element of an IP network external to the UMTS network 10, as described further hereinbelow. In particular, the connection 12 connects to a service provider or terminating part with which the user equipment 2 establishes a session.

The UMTS network provides access to other, external IP services or networks for the user equipment 2. For the purposes of the present example, it is assumed that a call session is to be established between the user equipment 2, and a B-subscriber 22 in a further IP network 18. The further IP network 18 supports the call session for the B-subscriber 22 with a serving call state control function (S-CSCF) 20. For the purposes of this example, as the initiating caller the user equipment 2 is considered to be the A-subscriber. For the purposes of supporting the call session, the connection 12 is between the respective S-CSCFs of the respective subscribers.

The B-subscriber may, for example, be a further user equipment or a service provided by a third party.

Figure 1 also illustrates the protocol interfaces for the various IP network elements. The S-CSCF 4 is connected to the AS 6 via an ISC interface represented by block 12. The ISC interface may, for example, be a session initiation protocol (SIP) interface. The CCF/OCS 8 is connected to the S-CSCF 4 via a Diameter protocol represented by block 16. The CCF/OCS 8 is connected to the AS 6 via a diameter protocol represented by block 14.

The principle of shared charging enables operators and/or the terminating user to co-operate to share or distribute the charges for a call. In conventional charging the user responsible for originating the call bears the full cost of the call. Under a shared or sponsored charging regime the user of the terminating part may bear part of the cost, either voluntarily or under requirement from an operator.

The preferred embodiment of the present invention proposes the use of shared charging information in a Diameter protocol as new AVPs (attribute value pairs) or as part of an existing grouped Service-Parameter-Info AVP.

The sponsorship charging information in a Diameter ACR (accounting request) may preferably be defined with four AVPs: shared charging information; shared percentage information; shared amount information; and sponsor identity information. These are described in more detail in turn hereinbelow.

The type of shared charging information may preferably be indicated by a code according to Table 1.

Shared charging code	Description

00	<u>Normal charging</u> - Charges not shared. Used when the user of the terminating part or the service provider is not to bear any of the cost of the call. The originating subscriber is charged for the full cost of the call.
01	<u>Network access fee</u> - Indicates that the user of the terminating part or the service provider will bear part or all of the network access charge.
02	<u>Transferred data towards used service</u> - Indicates that the user of the terminating part or the service provider will bear part or all of the cost of transferring data towards a used service.
03	<u>Used service</u> - Indicates that the user of the terminating part or the service provider will bear part or all of the cost of a used service.
04	<u>CallControl and MobilityManagement</u> - Indicates that the user of the terminating part or the service provider will bear part or all of the charge due to call routing and mobility management (in the CallProcessing server).
05	<u>Total cost of transaction excluding other services' fees</u> - Indicates that the user of the terminating part or the service provider will bear a proportion of the total charge of the call excluding the charge for the use of supplementary/value-added services.
06	<u>Total cost of transaction</u> - Indicates that the user of the terminating part or the service provider will bear a proportion of the total

	charge of the call.
--	---------------------

TABLE 1

Table 1 includes examples of shared charging information. Other
5 types of shared charging may be used in addition to or instead
of those listed above when needed.

The shared percentage information, implemented as an AVP, has a
value which defines the amount of the fee (0-100%) that the
service provider or terminating part is willing to pay,
10 according to shared charging alternatives.

The shared amount information, implemented as an AVP, has a
value that defines the fixed amount of the fee which the
service provider or terminating part is willing to pay,
according to shared charging alternatives. If the fixed amount
15 is used, the shared percentage must be set to zero.

The sponsor identity information, implemented as an AVP,
defines the identity of the party willing to pay the sponsored
part.

Referring to Figures 2 and 3, an example embodiment of the
20 present invention is now described.

In a first step, user equipment 2 transmits an INVITE message
100 in the packet domain - as represented by block 101 - to the
serving call state control function (S-CSCF) 4 allocated to the
call session.

25 Responsive thereto, in the preferred embodiment an initial
accounting is started by the S-CSCF 4. As represented by
Diameter protocol communication exchange 102 in Figure 2, and
shown in further detail in Figure 3(a), the S-CSCF sends an
ACR(START_RECORD) accounting request message 200 to the CCF/OCS

8. The CCF/OCS 8 replies with an ACA accounting acknowledgement message 202. If the user equipment 2 is a pre-paid user, an initial threshold value is also sent to the S-CSCF 4 by the CCF/OCS 8.

5 Following the start of the initial accounting, the S-CSCF 4 transmits an INVITE message 104 to the AS 6.

The AS 6 preferably performs a one-time event, as represented by Diameter protocol communication 106. As shown in further detail in Figure 3(b), the AS 6 sends an ACR(EVENT_RECORD) account request message 204 to the CCF/OCS 8. This ACR includes
10 any sponsorship information, where the AS 6 confirms its identity and also that it will pay a percentage, or a predetermined fixed amount, of certain charges. In the present example, the AS 6 informs the CCF/OCS 8 that it intends to pay
15 for 50% of the Call Control charges and 50% of the mobility management charges, as charged by the S-CSCF 4. The CCF/OCS 8 stores this information. The CCF/OCS 8 replies with an ACA accounting acknowledgement message 205.

Thereafter, the AS 6 returns an INVITE message 108 to the S-CSCF 4. The S-CSCF then forwards an INVITE message 110 towards
20 the terminating party (the B-subscriber 22), i.e. the recipient of the call session initiated by the user equipment 2.

Responsive to satisfactory acceptance of the call, in accordance with known techniques, the terminating party returns
25 a positive acknowledgement message 112 to the S-CSCF 4, which message may be a 200 OK message.

Responsive to receipt of the acknowledgement message, interim accounting is triggered from the S-CSCF 4 to the CCF/OCS 8, as represented by Diameter protocol communication 114 in Figure 2.
30 As shown in further detail in Figure 3(c), the S-CSCF 4 sends an ACR(INTERIM_RECORD) account request message 206 to the

CCF/OCS 8 to obtain a final tariff for the connection. In the present example, referring again to Figure 3(c), an ACA account acknowledgement message 208 is sent from the CCF/OCS 8 to the S-CSCF 4, which message includes the new tariff. More
5 importantly, in a pre-paid user scenario, a new threshold value is sent from the CCF/OCS 8 to the S-CSCF 4.

Finally, a positive acknowledgement is transmitted from the S-CSCF 4 to the User equipment 2.

From the above description, and from the protocol interfaces
10 shown in Figure 1, it will be apparent that the communications 102, 106, 114 represent Diameter protocol communications, and the other communications of Figure 2 are, for example, SIP or ISC protocol communications.

Thus the present invention provides for the actual charge
15 towards each party to be determined for a Diameter protocol system.

The present invention is described herein with reference to examples of preferred embodiments for the purpose of illustration, and is not limited to any such embodiments. The
20 scope of the present invention is defined by the appended claims.

CLAIMS

1. A method for charging for services in a communication system supporting a Diameter IP protocol, comprising defining at least one attribute value pair to define sponsorship information.
5
2. A method according to claim 1 wherein there is provided an attribute value pair defining shared charging information.
3. A method according to claim 1 or claim 2 wherein there is provided an attribute value pair defining shared percentage information.
10
4. A method according to any one of claims 1 to 3 wherein there is provided an attribute value pair defining shared amount information.
5. A method according to any one of claims 1 to 4 wherein there is provided an attribute value pair defining a sponsor identity.
15
6. A method for charging for services in a communication system supporting a Diameter IP protocol, comprising receiving a request to establish an IP session from a user of the system; initiating an account with an account controller of the system; establishing the IP session; and initiating the monitoring of the account.
20
7. A method according to claim 6 wherein the step of initiating an account comprises transferring sponsorship information to a charging system, the charging system being responsible for monitoring of the account.
25
8. A method according to claim 7 wherein the sponsorship information is transferred from an application server.

9. A method according to any one of claims 6 to 8 wherein the account is initiated responsive to an account request message.
10. A method according to any one of claims 6 to 9 wherein the
5 monitoring of the account is initiated responsive to an account request message.
11. A communication system supporting a Diameter IP protocol and for charging for services, wherein the Diameter protocol is adapted to define at least one attribute value pair to
10 define sponsorship information.
12. A communication system according to claim 11 wherein the attribute value pair defines shared charging information.
13. A communication system according to claim 11 or claim 12 wherein the attribute value pair defines shared percentage
15 information.
14. A communication system according to any one of claims 11 to 13 wherein the attribute value pair defines shared amount information.
15. A communication system according to any one of claims 11
20 to 14 wherein the attribute value pair defines a sponsor identity.
16. A Diameter IP protocol adapted to define at least one attribute value pair to define sponsorship information.
17. A Diameter IP protocol according to claim 16 wherein the
25 sponsorship information is provided to enable shared charging.
18. A communication system comprising: call control function means adapted to initiate a call session for a user of the system; an application server for providing an application
30 for a user of the system in a call session; and a charging

means for charging a call session for a user, wherein the call control function means, the application server and the charging means are adapted to communicate using a Diameter IP protocol.

- 5 19. A communication system according to claim 18 wherein the call control function means is a serving call state control function.
20. A communication system according to claim 18 or claim 19 wherein the charging means comprises an on-line charging
10 function and an off-line charging function.
21. A communication system according to any one of claims 18 to 20, wherein the charging is initiated on the basis of a Diameter IP communication between the call control function and the charging means.
- 15 22. A communication system according to any one of claims 18 to 21, wherein shared charging information is communicated to the charging means from the application function on the basis of a Diameter IP communication.
- 20 23. A communication system according to any one of claims 18 to 22, wherein the charging means monitors the call session charges responsive to a Diameter IP communication from the call control function.




FIG. 1




FIG. 2

3 / 3




FIG. 3(a)




FIG. 3(b)




FIG. 3(c)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 02/03267

A. CLASSIFICATION OF SUBJECT MATTER

IPC7: H04M 15/00, H04M 17/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	ZANDER, Sebastian. "EVALUATION OF DIAMETER PROTOCOL AGAINST IPFIX REQUIREMENTS", <draft-zander-ipfix-diameter-eval-00.txt>. [Internet-draft] [on line]. September 2002 [Retrieved on 2003-01-28], pages 1-12. Retrieved from the Internet:<URL: ftp://ftp.rfc-editor.org/in-notes/net-drafts/draft-zander-ipfix-diameter-eval-00.txt>, see pages 1-10. ---	1-5,16-17, 18-23
Y	US 2002065785 A1 (TSUDA, Y.), 30 May 2002 (30.05.02), page 2 - page 5, figures 13-19, abstract ---	1,6,16,18

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

31 January 2003

Date of mailing of the international search report

05-02-2003

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Behroz Moradi/OGU
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/IB 02/03267

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 02052833 A2 (NOKIA CORPORATION), 4 July 2002 (04.07.02), page 1 - page 6, figures 1-3, abstract --	1-23
Y	US 6181927 B1 (WELLING, JR., J.B. ET AL), 30 January 2001 (30.01.01), column 1, line 35 - line 64, figures 1-4, abstract --	1
A	EP 0452591 A2 (AMERICAN TELEPHONE AND TELEGRAPH COMPANY), 23 October 1991 (23.10.91), column 1, line 56 - column 2, line 58, abstract --	1-23
A	US 5666405 A (WEBER, R.P.), 9 Sept 1997 (09.09.97), column 2, line 1 - line 40, abstract -- -----	1,6,16,18

INTERNATIONAL SEARCH REPORT
Information on patent family members

30/12/02

International application No.
PCT/IB 02/03267

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
US	2002065785	A1	30/05/02	JP	2002164887 A	07/06/02
WO	02052833	A2	04/07/02	GB	0031459 D	00/00/00
US	6181927	B1	30/01/01	EP	0962090 A	08/12/99
				WO	9836585 A	20/08/98
EP	0452591	A2	23/10/91	CA	2032615 A,C	17/10/91
				DE	69027425 D,T	23/01/97
				JP	2966132 B	25/10/99
				JP	7074855 A	17/03/95
				JP	10117257 A	06/05/98
				US	5003584 A	26/03/91
US	5666405	A	09/09/97	CA	2177092 A	15/01/97